

ISSUE 03 •AUGUST 2022

DE&E

Design
Efficient
Enjoy



Since its establishment in 1992, DE&E has always regarded innovation as the core driving force of the company. Every year, more than 5% of the sales turnover is invested to developing new products. DE&E has got a leading R&D center in the industry and obtained more than 260 patents.

Owing to intelligent management, DE&E intelligent factory is able to control the entire process including production, raw material and after-sales service. DE&E has got lots of international certificates, including CQC, RoHS, REACH, GS, PSA, KC, SASO, SAA,ISI, ETL, CE, CB, and CCC on all hoods.

At present, DE&E owns 80 agents with more than 6000 shops accorss the country, among which 3000 exclusive stores have effectively enhanced DE&E brand image with its unified design. Inspired by authentic life scenes, DE&E experiencing centers take home decoration as the main design element, and integrate other living scenes like baking party, home gathering and family activities , which vividly show the application effect of DE&E products in real life. The comprehensive, integral, simple and fashionable design style is widely praised.



With the idea of Industry 4.0 and combining IOT technology ,the factory successfully implemented intelligent operation during the whole process from product designing, procurement, manufacturing to warehousing logistics.

Owing to intelligent management, DE&E intelligent factory is able to control the whole procedure process including production, raw material and after-sales service.





Warranty : Range Hood

Motor: 10 Years Warranty

General Parts : 3 Years Warranty

Warranty : Build-In Hob


Tempered Glass : 3 Years Warranty

General Parts : 2 Years Warranty

Warranty : Build-In Oven


Tempered Glass Door : 3 Years Warranty

General Parts : 2 Years Warranty



“Intelligent Boosting”

“Intelligent Boosting” is the strength of DE&E. DE&E has used countless original technologies and patents to lead the Chinese kitchen appliances industry for 29 years.



MAX9.0 high wind pressure core technology


DE&E developed “Intelligent boosting” series range hoods. With MAX9.0 high wind pressure core technology, it can change the speed of turbine automatically by using the full-sealed SP3.0 DC inverter motor. And the super large airflow can be up to 920Pa.

INTELLIGENT BOOSTING RANGE HOOD









Model : HA939

Unrestrained Airflow (m3/hr) : 2250m^3/hr
Max Static Pressure (PA) : 920PA
Rotation Per Minute : 2000 Rpm
Noise Level : 54 dB
Type Of Motor : Full Sealed Inverter DC Motor
Type Of Control : unrestrict speed control
Grease Separation Rate : 98%
Odor Decrease Rate : 97%
Power Supply : 272W
LED Light Power : 4w
Dimension (W x D x H) (mm) : 895W x 425D x 660H
List Price : RM5,200.00


Features:

- Intelligent Boosting (auto-sensing airflow)
- Patented Bionic Wing-Like Impeller
- 5 Gestures Control (Power On/Off, Speed Control-Low/Medium/High, Lights On/Off)
- Side & Bottom Suction
- Intelligent Locking System
- Removable Bottom Glass Panel
- 3 Minutes Delay Timer
- Stainless Steel Oil Container
- Patented Unique Magnetic Filter
- Digital Panel
- Recirculation Mode

Click the QR for product video

INTELLIGENT BOOSTING RANGE HOOD









Model : HTQ98

Unrestrained Airflow (m3/hr) : 2850m^3/hr
Max Static Pressure (PA) : 1150PA
Rotation Per Minute : 2000 Rpm
Noise Level (db) : 52 dB
Type Of Motor : Full Sealed Inverter DC Motor
Type Of Control : Unrestrict speed control
Grease Separation Rate : 98%
Odor Decrease Rate : 97%
Power supply : 262W
Dimension (W x D x H) (mm) : 895W x492D x720H
List Price : RM5,400.00

Features:

- Intelligent Boosting (auto-sensing airflow)
- Patented Bionic Wing-Like Impeller
- Single Gesture Control (Speed and Lights On/Off)
- 30 Minutes Automatic Self Cleaning (every 60hours circle)
- Intelligent lifting smoke collection
- Intelligent Locking System
- Stainless Steel Oil Container
- Digital Panel

Click the QR for product video

INTELLIGENT BOOSTING RANGE HOOD









Model : HT996

Unrestrained Airflow (m3/hr) : 2250m^3/hr
Max Static Pressure (PA) : 850PA
Rotation Per Minute : 2000 Rpm
Noise Level (db) : 53 dB
Type Of Motor : Full Sealed Inverter DC Motor
Type Of Control : Unrestrict speed control
Grease Separation Rate : 98%
Odor Decrease Rate : 97%
Power supply : 262W
Dimension (W x D x H) (mm) : 895W x492D x720H

Features:

- Intelligent Boosting (auto-sensing airflow)
- Patented Bionic Wing-Like Impeller
- Auto Lifting Panel
- 7 Inches Smart Panel
- Intelligent Locking System
- Stainless Steel Oil Container
- Voice Control
- Air Purification


Click the QR for product video

INTELLIGENT BOOSTING RANGE HOOD









Model : HT936

Unrestrained Airflow (m3/hr) : 2050m^3/hr
Max Static Pressure (PA) : 850PA
Rotation Per Minute : 2000 Rpm
Noise Level (db) : 55 dB
Type Of Motor : Full Sealed Inverter DC Motor
Type Of Control : Unrestrict speed control
Grease Separation Rate : 98%
Odor Decrease Rate : 97%
Power supply : 262W
Dimension (W x D x H) (mm) : 895W x 425D x 660H
List Price : RM4,700.00

Features:

- Intelligent Boosting (auto-sensing airflow)
- Patented Bionic Wing-Like Impeller
- 5 Gestures Control (Power On/Off, Speed Control-Low/Medium/High, Lights On/Off)
- Depth Smoke Collection Cavity (140mm Depth)
- Intelligent Locking System
- 3 Minutes Delay Timer
- Stainless Steel Oil Container
- Patented Unique Dome Filter
- Digital Panel
- Recirculation Mode

Click the QR for product video

INTELLIGENT BOOSTING RANGE HOOD









Model : HA926

Unrestrained airflow (m3/hr) : 2050m^3/hr
Max Static Pressure (PA) : 830PA
Rotation Per Minute : 1800 Rpm
Noise Level (db) : 55 dB
Type of Motor : Full Sealed Inverter DC Motor
Type Of Control : 3 Speeds Control
Grease Separation Rate : 98%
Odor Decrease Rate : 97%
Max Motor Power : 262W
LED Light Power : 4w
Dimension (W x D x H) (mm) : 895W X 425D X 660H
List Price : RM4,200.00

Features:

- Intelligent Boosting (auto-sensing airflow)
- Patented Impeller
- Single Gesture Control (Speed and Lights On/Off)
- 30 Minutes Automatic Self Cleaning (every 60hours circle)
- Intelligent Locking System
- Removable Bottom Glass Panel
- 3 Minutes Delay Timer
- Stainless Steel Oil Container
- Patented Unique Magnetic Filter
- Digital Panel
- Recirculation Mode

Click the QR for product video

INTELLIGENT BOOSTING RANGE HOOD









Model : HT983

Unrestrained Airflow (m3/hr) : 1850m^3/hr
Max Static Pressure (PA) : 400PA
Rotation Per Minute : 1500 Rpm
Noise Level (dB) : 53 dB
Type Of Motor : Full Sealed Inverter DC Motor
Type Of Control : 3 Speeds Control
Grease Separation Rate : 98%
Odor Decrease Rate : 97%
Power Supply : 284W
LED Light Power : 4w
Dimension (W x D x H) (mm) : 895W X 425D X 660H
List Price : RM3,700.00

Features:

- Intelligent Boosting (auto-sensing airflow)
- Patented Bionic Wing-Like Impeller
- Depth Smoke Collection Cavity (140mm Depth)
- 3 Minutes Delay Timer
- Stainless Steel Oil Container
- Patented Unique Dome Filter
- Digital Panel
- Recirculation Mode

Click the QR for product video

HIGH PERFORMANCE RANGE HOOD










Model : HT906B

Unrestrained Airflow (m3/hr) : 1850m^3/hr
Max Static Pressure (PA) : 400PA
Rotation Per Minute : 1500 Rpm
Noise Level (dB) : 53 dB
Type Of Motor : Full Sealed DC Motor
Type Of Control : 3 Speeds Control
Grease Separation Rate : 98%
Odor Decrease Rate : 97%
Power Supply : 202W
LED Light Power : 4w
Dimension (W x D x H) (mm) : 895W x 425D x 660H
List Price : RM3,000.00


Features:

- Patented Bionic Wing-Like Impeller
- Patented Pyramid Filter
- 3 Minutes Delay Timer
- Patented Oil Container
- Digital Touch Screen
- Recirculation Mode

Click the QR for product video







Model : S7852


Panel : 4 Layers Ultra Slim Tempered Glass
Burner Ring : Brass
Drip Pan : Cast Iron in Enamel Finish
Burner : ADC12
Pan Support : Cast Iron in Enamel Finish
Ignition : Battery (D Size)
Flame Failure Devices : Spain Orkli
Efficiency : 68%
Power : 2 x 5.2kw
Gas Type : LPG / NG
Product Size : 780 x 460 x 135 mm (W x D x H)
Cut-out Size : 630 x 330 mm (W x D)
List Price : RM1,900.00


Ultra Slim Build-in Hob

The burner's power can be changed from 0.3kW to 5.2kW to make stir frying faster and simmering more stable.

Click the QR for product video








Model : S7850

Panel : 4 Layers Ultra Slim Tempered Glass
Burner Ring : Brass
Drip Pan : Cast Iron in Enamel Finish
Burner : ADC12
Pan Support : Cast Iron in Enamel Finish
Ignition : Battery (D Size)
Flame Failure Devices : Spain Orkli
Efficiency : 68%
Power : 2 x 5.2kw
Timer : 99 Minutes control for 2 burners
Gas Type : LPG / NG
Product Size : 780 x 460 x 135 mm (W x D x H)
Cut-out Size : 630 x 330 mm (W x D)
List Price : RM2,400.00


Ultra Slim Build-in Hob

The burner's power can be changed from 0.3kW to 5.2kW to make stir frying faster and simmering more stable.

Click the QR for product video







Model : S8638


Panel : 4 Layers Ultra Slim Tempered Glass
Burner Ring : Brass
Drip Pan : Cast Iron in Enamel Finish
Burner : ADC12
Pan Support : Cast Iron in Enamel Finish
Ignition : Battery (D Size)
Flame Failure Devices : Spain Orkli
Efficiency : 68%
Power : 2 x 5.2kw, 1 x 1.75kw
Gas Type : LPG / NG
Product Size : 870 x 510 x 110 mm (W x D x H)
Cut-out Size : 830 x 470 mm (W x D)
List Price : RM2,900.00

Ultra Slim Build-in Hob

The burner's power can be changed from 0.3kW to 5.2kW to make stir frying faster and simmering more stable.

Click the QR for product video







Model : S7650


Panel : Matte 304 Stainless Steel
Burner Ring : Brass
Drip Pan : Matte Stainless Steel Finish
Burner : ADC12
Pan Support : Cast Iron in Enamel Finish
Ignition : Battery (D Size)
Flame Failure Devices : Spain Orkli
Efficiency : 68%
Power : 2 x 5.2kw
Gas Type : LPG / NG
Product Size : 760 x 440 x 135 mm (W x D x H)
Cut-out Size : 630 x 330 mm (W x D)
List Price : RM2,200.00

Matt S/S Build-in Hob

The burner's power can be changed from 0.3kW to 5.2kW to make stir frying faster and simmering more stable.

Click the QR for product video





















Model : S8669B

Panel : 304 Stainless Steel (Flush in available)
Burner Ring : SABAF (Made In Italy)
Drip Pan : 304 Stainless Steel Finish
Burner : ADC12
Pan Support : Cast Iron in Enamel Finish
Ignition : Battery (D Size)
Flame Failure Devices : Spain Orkli
Efficiency : 62%
Power : 1 x 4.0kw, 1 x 3.0kw, 2 x 1.75kw, 1 x 1.0kw
Gas Type : LPG / NG
Product Size : 870 x 510 x 110 mm (W x D x H)
Cut-out Size : 840 x 480 mm (W x D)
List Price : RM3,900.00

Sabaf HE Burner

The Sabaf HE (High Efficient) burner is made in Italy can achieve an efficiency of 62% through precise adjustment, which is environmentally friendly and energy saving.


Ultra Slim Flush in S/S Hob

Ultra-thin edge makes full-built-in or semi-built-in installations look neat and easy to clean.

Click the QR for product video



Click the QR for product video





Steam & Grill Combi Oven

Model : ZK4585
Function : 6+12 Functions
Control Type : Fully Sensor Touch Control
Cavity Material : High Grade Ceramic Enamel
Panel Material : Tempered Glass
Cavity Cooling System : With
Ventilation System : With
Net Capacity : 45L
Temperature : 30-120°C (Steam) / 30-230°C (Grill)
Display : Digital LED Display
Light Type : 1 x 15W Halogen Light
Door : 3 Layer Tempered Glass
Child Lock System : With
Rated Voltage/Frequency : 220-240V~ / 50/60Hz
Rated Power : 2500W
Accessory : 2 x Pan (Perforated & Non-Perforated); 1 x Grill Rack; 1 x Sponge Drier; 1 x Glove
Product Size : 595 x 520 x 455 (W x D x H) (mm)
Cut out Size : 600 x 565 x 460 (W x D x H) (mm)
List Price : RM6,400.00

- Using a thyristor circuit board, when heated to a preset temperature, it only runs at 25% of the input power, ensuring that the food is evenly heated, which is very energy-saving.
- Rapid heating and stable operation; when heated to the preset temperature, the temperature difference is controlled within ±1°C, the heat is accurate, and the taste is better.
- Triple cooling system, the top air cooler cooperates with the front air outlet, and the hatch with a unique convection window design, heat insulation and cooling, fast heat dissipation and safer.
- Food grade enamel liner, starry blue beautiful and easy to clean, can withstand high temperature above 800°C, safe and durable.
- The design of the heating film on the top prevents the condensed water from falling back when steaming the food, and the food does not smell, and the taste of the dishes is guaranteed.
- Dual-mode pumping system can pump out the residual water in the road to ensure that there is no accumulation of water in the cabin, prevent the growth of scale and bacteria, and make it healthier without peculiar smell.
- External 1.2L large capacity water tank, it can be steamed for 90 minutes at a time.

New Generation Steaming

The heating pipes are heated while the steam generator is running. Such combination makes the temperature of the body can quickly rise up to 120°C, which shorten the cooing time and keeps the ordinary taste of food.





Even Heating

U-style heating pipes both in upper and bottom part of the body plus heating pipes and air circulation fan on the back achieve 4 dimensions & even heating.

4D Steam Heating

The fan accelerates the heat circulation. The food is evenly heat and more delicious.











Steam Oven

Model : ZA4565A

Function : 3+8 Functions With 30 Preset Menu
Control Type : Fully Sensor Touch Control
Cavity Material : High Grade Stainless Steel
Panel Material : Tempered Glass
Cavity Cooling System : With
Ventilation System : With
Net Capacity : 45L
Temperature : 30-120°C (Steam)
Display : Digital LED Display
Light Type : 1 x 15W Halogen Light
Door : 3 Layer Tempered Glass
Child Lock System : With
Rated Voltage/Frequency : 220-240V~ / 50/60Hz
Rated Power : 1850W
Accessory : 2 x Pan (Perforated & Non-Perforated); 1 x Grill Rack; 1 x Sponge Drier; 1 x Glove
Product Size : 595 x 520 x 455 (W x D x H) (mm)
Cut out Size : 600 x 565 x 460 (W x D x H) (mm)
List Price : RM5,500.00

The top heated

The top of the cabin is supplemented with a heating tube configuration to instantly evaporate the top water to prevent the condensed water from falling back and dripping into the food.

Self-cleaning steam with dual-mode extraction

100°C steam quickly dissolves the oil and descaling, keeping the cabin clean as new; with a dual-mode extraction system, the residual water is drawn back after cooking to prevent the growth of bacteria.

Click the QR for product video

The external high-power steam generator

Living water into the high-power steam generator outside the cabin to quickly generate a large amount of steam. After passing through the water vapor separation device, the purer water vapor is quickly steamed to ensure the delicious taste of the food.





Scientific angle double nozzles

The double steam nozzles in the cabin work at the same time, and the scientific angle sprays steam, the steam is evenly distributed in the cabin, and the temperature is precisely controlled.

120°C

120°C High-temperature steaming

Steam with the top heating tube to quickly raise the temperature in the cabin to 120°C, quickly steaming hard-to-cook food.





Click the QR for product video

Compact Oven

Model : KA4505


Function : 6+10 Functions
Control Type : Fully Sensor Touch Control
Cavity Material : High Grade Ceramic Enamel
Panel Material : Tempered Glass
Cavity Cooling System : With
Ventilation System : With
Net Capacity : 45L
Temperature : 30-260℃
Display : Digital LED Display
Light Type : 1 x 15W Halogen Light
Door : 3 Layer Tempered Glass
Child Lock System : With
Rated Voltage/Frequency : 220-240V~ / 50/60Hz
Rated Power : 2500W
Accessory : 1 x Baking Tray; 1 x Grill Rack; 1 x Glove
Product Size : 595 x 520 x 455 (W x D x H) (mm)
Cut out Size : 600 x 565 x 460 (W x D x H) (mm)
List Price : RM5,600.00

4D Air Circulation Heating

- Wide temperature adjustment, low temperature start function: start the oven at a minimum of 30°C, in addition to baking in the oven, it can also be used for fermentation, thawing, defrosting, drying fruit, stop heating after low temperature start, good insulation of the oven can be used Thermal insulation properties ferment, make yogurt.
- Safe and reliable materials, food-grade enamel inner pot and baking pan, food-grade stainless steel shelves and food racks, high temperature gloves, to ensure safe eating.
- Using 309 stainless steel baking heating tube, the original "U-shaped" optimized design, 309 stainless steel corrosion resistance, heat resistance is better than 304, can withstand repeated heating below 980 ° C, prevent the surface layer from falling off, easy to clean.
- Independent front cooling fan system.
- Three-layer thermal insulation hatch: convection window design, thermal insulation and cooling, to ensure safety.
- Easy-to-remove shelves and doors for easy cleaning (close the oven door halfway; raise and rotate the locking levers on the left and right hinges)

Since the intelligent PCB control temperature at 30℃-260℃, the temperature rises rapidly. The temperature difference is controlled within ±1℃. Precise fire power makes food taste better.





4D Air Circulation Heating

Multi-smart heating power combinations are designed for various modes.

The fan accelerates the heat circulation.

The food is evenly heated and more delicious.