



Fhiaba

APPLIED LUXURY

CATALOGO PRODOTTI

OUR PHILOSOPHY

The Fhiaba range of refrigeration is designed to store food and fine wine at optimum preservation temperatures, Fhiaba products meet the highest expectations in aesthetics and storage technology, combining superior product performance characteristics and design of the highest class with an kind of iconic style with elegant stainless steel finish and professional cooling systems - just some of the key advancements in the way of product development, which is reflected by our wide range of products, which offer limitless possibilities for refrigeration solutions in your home.

Design

Integrated, X-Pro & Classic provide innovative solutions and offer limitless personalised configurations and solutions.

For those who prefer a sequence aesthetic line, refinement of design and original interior, Fhiaba developed the Integrated range, realising exceptional solutions to conceal the refrigerator within the kitchen space maintaining comfort and functionality with excellent design.

With the new X-Pro series by Fhiaba, we introduced advanced performance and professional design to enhance the kitchen in your home. Thanks to the clean lines and aesthetics with stainless steel construction and smart technical solutions this series can be installed independently or integrated into your kitchen furniture, turning your space into a true chef's kitchen.

Fhiaba products present technological innovation in sleek and modern design lines with contrasting rounded / cylindrical handles in brushed stainless steel.

Professional performance

The cooling technology Fhiaba includes is an independent cooling system for each department with a constant and precise control of temperature and humidity. Our total 'NoFrost' system ensures uniform distribution and the free circulation of cold air, while the stainless steel and aluminium interior minimise the impact of any sudden changes in temperature and humidity stored inside the cooling unit. With our advanced cooling technology, Fhiaba provides the user with various settings for each part of the product, thus individual conditions for the storage of delicate food and expensive wines.




Fhiaba HISTORY

All Fhiaba products encompass a set of values and know-how. Our models are made in Italy and stand out due to their sophisticated design, stainless steel finishes, the broad range and countless possibilities for customisation. We utilise select materials and the best technologies to respond to the most demanding requirements of the preservation of food and wine. Fhiaba stands out as a luxury brand in the household appliance sector.

1970

For over 35 years, the baron family has created products of the highest standard, manufacturing products with unsurpassed technologies. In 1970, this family owned and operated business started manufacturing industrial refrigerators laying the foundations for what would quickly become one of the most advanced and comprehensive range of high performance food and wine preservation equipment available via use of the most innovative technologies available at the time whilst being carefully designed down to the finest detail. Over the years, the Fhiaba range was expanded to meet the needs of local restaurants, bakeries and all forms of commercial catering.



Throughout our experience gained through working with stainless steel manufacturing and processing paired together with an in-depth knowledge for the requests and requirements of professional kitchens, Fhiaba was organically led down the track of the creation of a cutting edge professional kitchen range marked by innovative and functional design with recognised reliability and robustness. This range complied with the most stringent European standards in terms of safety, hygiene, and reliability at the time.

1980

2004

Fhiaba's passion for food preservation and the know how that was developed and harnessed from 25 years of experience in commercial kitchen appliance manufacturing encouraged the next generation of the Baron family to create the next chapter of Fhiaba and the brand was officially launched as a household brand transferring performance, technology and unmatched quality of professional equipment to the domestic homes across Italy and the world.



Fhiaba continues to grow as a domestic appliance brand offering refrigeration products to the highest standard and with its distinctive features, the products begin to be appreciated and admired by some of the most well known and infamous kitchen manufactures across the globe. So much so, that today, Fhiaba continues its collaborations with leading kitchen manufacturers and design brands and companies.

2010

2016

Fhiaba, now well established, has developed a worldwide distribution network with strong presences in various international and European markets which contributes to its ongoing growth. Fhiaba contributes its success to staying true to its core values as a brand and growing at a manageable pace that allows zero compromise for how its products are manufactured keeping quality control and customer satisfaction at the top of the list.

2019

Fhiaba Officially launches in Australia with Eurolinx, another family owned and operated company synonyms for importing domestic cooking and kitchen brands into the Australian market since 1984.



Integrated S

For those who prefer the consistency of an aesthetic line of elegance and individuality, Fhiaba has developed a series of Integrated models realising exceptional solutions to conceal the Fridge seamlessly within the interior of the kitchen space, without the compromise of comfort, functionality and design excellence





Classic K

The technological innovation of Fhiaba products is perfectly presented in the sleek and modern design lines of the Classic series with satin stainless steel. This design is the perfect solution to integrate your stainless steel appliances and elegantly complete your kitchen design. The Classic series is at home in any kitchen design.




X-Pro X

The latest addition to the range of Fhiaba fridges is the industrial designed X-Pro series which can transform any interior into a modern professional kitchen, worthy of leading chefs and home cooks alike. The X-pro design, featuring a massive front grill and sturdy cylindrical stainless steel handles, was developed to meet our need to create a professional looking kitchen at home. It reflects the characteristics of high-tech refrigeration systems used in all Fhiaba fridges.



FRIDGES | FREEZERS | WINE CELLARS




5 micro climates

FREEZER - 22 / -15°C	FRESCO - 2 / + 2 °C	FRIDGE + 2 / + 8 °C	WINE CELLAR* + 4°C / +18°C	RISERVA + 4°C / + 18°C
--------------------------------	-------------------------------	-------------------------------	--------------------------------------	----------------------------------

*or a prosciutteria/cheese cabinet

Our patented **TriMode™** drawers can be set to three different micro climates: freezer, fresco or fridge.



THE FOUR DIMENSIONS OF QUALITY

Exclusive Fhiaba technology makes it possible to combine the four “key variables” of refrigeration, to create and maintain perfectly balanced climates.

- Temperature
- Humidity
- Ventilation
- Time

Accurate temperatures

Thanks to the numerous built-in sensors, the indicated temperature is always accurate.

Uniform ProVent™ Ventilation

The ProVent™ system uniformly distributes cold air to all parts of the fridge.


TriPro Refrigeration™

The triple cooling system ensures each ingredient and dish gets the right microclimate.

Humidity control

Our wine cellars offer three different humidity level settings: low, medium and high.

Fhiaba is the only company in the world today with technology capable of managing **three independent climate zones**, for unrivalled, high-quality food storage. Fhiaba systems also feature **lateral refrigeration**, thereby allowing for maximum use of the full depth of the inner compartments




PERSONALISING YOUR FHIABA

Fhiaba offers a series of solutions to customise the refrigerator and make it a unique and tailor-made product.

1. Top compressor model (series: X-Pro) and bottom compressors (series: Classic & Integrated)
2. Fully integrated, integrated and freestanding models
3. All the models available in 3 width: 60 / 75 / 90 cm
4. Independent climatic zones for unrivalled high-quality food conservation:
1T: 3 separate temperatures.
0T: 2 separate temperatures + low temp zone.
0F: 1 separate temperature + + low temp zone for fridges.
0F: 2 separate temperatures for wine cellars.
5. 3 lines: X-Pro, Classic & Integrated
6. Door opening: right or left hinge
7. Ice Maker
8. Pair of stainless steel sides for free installation
9. Glass door
10. Single grill and single plinth kit X-Pro Series
11. Customised stainless steel door front up to 8 cm
12. Built - in Kit
13. Stainless steel cladding for customer's doors
14. Custom RAL color (check availability)
15. Painting of stainless steel doors and panels, sides and handles as per colour sample (check availability)
16. Patented separate "Evenlift™" shelves. Standard on 1T models.
17. Door front panel for Integrated Series without handle
18. Possibility of installing customer handles on the Integrated Series
19. Fhiaba tubular handles diameter 30 mm
20. Fhiaba tubular handles diameter 18 mm
21. Stainless steel panels with holes for Fhiaba handles
22. Elegant central connecting kit
23. Extra anti-tipping for insertion in structures with depth up to 80 cm
24. Anti-condensation kit: Monferlene panel for side-by-side installation of two or more top compressors units (not required for models with compressors at the bottom)
25. Alternative energy kits: photovoltaic, geothermal, etc.
26. Support for tilting bottles
27. Wine accessories Kit:
 - Bottle holder
 - Wine kit
 - Cheese set Kit
 - Set of knives
 - Prosciutteria Kit
28. Remote connection to monitor via cloud software; Fhiaba will be able to detect sensor end-of-life or other issues and the consumer will be notified in case of power outage, open doors and more.
29. Water dispenser

0T MODELS


One door, one bottom drawer, two separate temperatures



D = door
BD = bottom drawer
M = separate micro climates

- Made in Italy
- Stainless steel body AISI304 satin scotch bright
- Interior in AISI 304 stainless steel
- TriPro: the triple refrigeration system ensures the right microclimate for each food.
- Provent: guarantees a homogeneous distribution of cold air and favours the deep use of the internal compartments.
- Optiview: 11 fridge Led light spots and 14 Wine cellar Led light spots
- Equilance: the variable fulcrum hinge allows the perfect flush installation and the total extraction of the internal drawers.
- Sabbath mode
- Total No Frost
- Soft closing hinge and doors
- Antibacterial interiors
- Digital temperature display for both upper and lower temperature zone
- Acoustic and visual signal
- Front and rear adjustable feet up to 25mm in height
- Low vibration compressor

Standard equipment fridge and freezer.



Wine cellar standard equipment



2 INDEPENDENT CLIMATIC COMPARTMENTS

- Wine cellar compartment: from + 4 ° C to + 18 ° C
- Bottom drawer with Trimode function: from -22 ° C to + 8 ° C

WINE CELLAR COMPARTMENT

- Three-layer glass door
- Wine cellar compartment: 9 wine shelves in natural oak wood:
- Shelf capacity 599: 6 bottles / 750ml, fits burgundy and bordeaux bottles
- Shelf capacity 749: 8 bottles / 750ml, fits burgundy and bordeaux bottles
- Humidity control
- Anti vibration system
- Full extraction wine shelves with soft closing runners
- 12 LED lights illuminate the fridge from the side


TRIMODE BOTTOM DRAWER

- User interface adjustable temperature from -22°C a + 8°C
- The patented Trimode drawer can operate in 3 different micro climates: freezer, Fresco and refrigerator.
- Full extraction drawers with soft closing runners
- 2 LED light points illuminate the drawers from the ceiling



0F MODELS
Fridge or freezer, one door, one temperature

0F




1D | 1M

fridge or freezer

D = door
M = separate micro climates

- Made in Italy
- Stainless steel body AISI304 satin scotch bright
- Interior in AISI 304 stainless steel
- TriPro: the triple refrigeration system ensures the right microclimate for each food.
- Provent: guarantees a homogeneous distribution of cold air and favours the deep use of the internal compartments.
- Optiview: 9 fridge Led light spots and 5 Freezer Led light spots
- Equilance: the variable fulcrum hinge allows the perfect flush installation and the total extraction of the internal drawers.
- Sabbath mode
- Total No Frost
- Soft closing hinge and doors
- Antibacterial interiors
- Digital temperature display for both upper and lower temperature zone
- Acoustic and visual signal
- Front and rear adjustable feet up to 25mm in height
- Low vibration compressor


Standard equipment fridge



1 INDEPENDENT CLIMATIC COMPARTMENT
+ LOW TEMP ZONE

- Fridge: from -2 ° C to + 8 ° C
- Low Temp zone
- User interface adjustable temperature from -2 ° C to + 8 ° C
- 3 tempered glass shelves with aluminium profiles
- 3 Low Temp drawers with anti-bacterial sandblasted stainless steel interior
- Full extraction drawers with soft closing runners
- Drawers with rounded corners to promote maximum hygiene and with 6mm tempered glass
- Ideal for storing meat, fish and vegetables
- 3 door bins fully adjustable in height
- Evenlift™: unique "infinity sliding system" that allows to reposition the internal glass shelves without removing and emptying them, thanks to a rack and pinion patented system
- 6 LED light points illuminate the fridge from the ceiling
- 3 LED lights illuminate the fridge from the side

Standard equipment freezer




1 INDEPENDENT CLIMATIC COMPARTMENT

- Freezer: from -15°C to -22 8°C
- User interface adjustable temperature from -22°C to -15°C
- 2 tempered glass shelves with aluminium profiles
- 4 Micro shot-peened stainless steel drawers
- Full extraction drawers with soft closing runners
- Drawers with rounded corners to promote maximum hygiene
- 2 door bins fully adjustable in height
- Evenlift™: unique "infinity sliding system" that allows to reposition the internal glass shelves without removing and emptying them, thanks to a rack and pinion patented system
- 5 LED lights illuminate the fridge from the side

0F MODELS
Wine cellar, one door, two separate temperatures

0F




1D | 2M

wine cellar

D = door
M = separate micro climates

- Made in Italy
- Stainless steel body AISI304 satin scotch bright
- Interior in AISI 304 stainless steel
- TriPro: the triple refrigeration system ensures the right microclimate for each food.
- Provent: guarantees a homogeneous distribution of cold air and favours the deep use of the internal compartments.
- Optiview: 12 Wine cellar Led light spots
- Equilance: the variable fulcrum hinge allows the perfect flush installation and the total extraction of the internal drawers.
- Sabbath mode
- Total No Frost
- Soft closing hinge and doors
- Antibacterial interiors
- Digital temperature display for both upper and lower temperature zone
- Acoustic and visual signal
- Front and rear adjustable feet up to 25mm in height
- Low vibration compressor

Wine cellar standard equipment



2 INDEPENDENT CLIMATIC COMPARTMENTS

- Wine cellar compartment 1: from + 4 ° C to + 18 ° C
- Wine cellar compartment 2: from + 4 ° C to + 18 ° C
- Three-layer glass door
- Wine cellar compartment 1: 6 wine shelves in natural oak wood
- Wine cellar compartment 2: 6 wine shelves in natural oak wood
- Shelf capacity 599: 6 bottles / 750ml, fits burgundy and bordeaux bottles
- Shelf capacity 749: 8 bottles / 750ml, fits burgundy and bordeaux bottles
- Shelf capacity 899: 10 bottles / 750ml, fits burgundy and bordeaux bottles
- Humidity control
- Anti vibration system
- Full extraction wine shelves with soft closing runners
- 12 LED lights illuminate the fridge from the side



PRODUCT CODES DEFINED

example:

S8990FR

S

digit # 1-> model series
XS = X-Pro (top compressors, stainless steel front)
KS = Classic (bottom compressors, stainless steel front)
S = Integrated (bottom compressors, flush or built-in)

899

digit # 2 > width
899 = 90 cm
749 = 75 cm
599 = 60 cm

0F

digit # 3 > model configuration
1T = One door, one bottom drawer, three separate temperatures
0T = One door, one bottom drawer, two separate temperatures
0H = One door, two bottom drawers, two separate temperatures
0F = One door. Fridge of Freezer one temperature. Wine cellar two separate temperatures.

R

digit # 4 > function and door style
ST = Fridge/Trimode, Solid door
GT = Fridge/Trimode, Glass door
WT = Wine Cellar/Trimode
R = Fridge column
Z = Freezer column
W = Wine Cellar column

Description	Code	Price
Right hinge	add "6" at the end of the code	free
Left hinge	add "3" at the end of the code	free

example:

KS8990TST6i

KS

digit # 1-> model series
XS = X-Pro (top compressors, stainless steel front)
KS = Classic (bottom compressors, stainless steel front)
S = Integrated (bottom compressors, flush or built-in)

899

digit # 2 > width
899 = 90 cm
749 = 75 cm
599 = 60 cm

0T

digit # 3 > model configuration
1T = One door, one bottom drawer, three separate temperatures
0T = One door, one bottom drawer, two separate temperatures
0H = One door, two bottom drawers, two separate temperatures
0F = One door. Fridge and Freezer one temperature. Wine cellar two separate temperatures.

ST

digit # 4 > function and door style
ST = Fridge/Trimode, Solid door
GT = Fridge/Trimode, Glass door
WT = Wine Cellar/Trimode
R = Fridge column
Z = Freezer column
W = Wine Cellar column

6

digit # 6 > hinge positioning
3 = Hinge on the left
6 = Hinge on the right

i

digit # 7 > model options
To indicate a unit equipped with Ice Maker -> add "i"
(not available on wine cellars, 599 fridges and 0F fridge models)

Description	Code	Price
Right hinge	add "6" at the end of the code	free
Left hinge	add "3" at the end of the code	free



CLASSIC



CLASSIC RANGE FRIDGE / FREEZER WITH ICE MAKER

KS7490TSTI - 412L TOTAL CAPACITY, 750MM WIDE UPSIDE DOWN FRIDGE/FREEZER

KS8990TSTI - 525L TOTAL CAPACITY, 900MM WIDE UPSIDE DOWN FRIDGE/FREEZER

FEATURES

- Noise level - 41db
- Door open alarm
- Fhiaba Access - manages and monitors the entire fridge operation process. Fridge, fresh food compartment and drawer temperatures are shown on the digital display, together with date and time displayed. The interactive menu allows you to easily select the many available functions and to customise the functions of the fridge according to your needs.
- Tri-Pro Refrigeration - Maximum freshness is guaranteed when each food product is preserved at the correct temperature. This is the philosophy behind our triple refrigeration system. Two state-of-the-art compressors and three evaporators ensure continuous operation, energy saving and silence.
- ProVent - This ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulating air. The system maintains temperature throughout allowing for optimum food preservation conditions.
- Total No Frost - 100% automatic system which eliminates the need to defrost the fridge, fresh food and freezer compartments. In addition it enables the temperature to be restored quickly after opening thanks to 'speed freezing'.
- TriMode - Interchange between Fridge, fresh food or freezer: simply select the desired mode through Fhiaba Access menu to modify the operating mode of the bottom drawer. A unique and versatile function that makes our food preservation system extremely flexible to manage.
- EvenLift - Our patented shelf system can be adjusted to any height in the fridge compartment without removal providing absolute versatility.
- Equilance - A dual-movement hinge, combining technological innovation and design and protected by an international patent. The self-balancing movement ensures stability and resistance for unlimited opening over time, and enables the appliance to be completely built-in.

FRIDGE

- 3 Rack-and-Pinion Scrolling Glass Shelves
- 3 Adjustable Door Shelves
- 2 fresh food compartments
- 2 low temperature micro shot-peened soft close stainless steel drawers

TRI MODE

- 1 stainless steel drawer
- 1 internal drawer
- 1 ice tray with internal ice maker

CAPACITY & INTERIOR

- Fridge compartment capacity (L): KS7490TST - 293L & KS8990TST - 417L
- TriMode Bottom drawer capacity (L): KS7490TST - 109L & KS8990TST - 108L
- Anti-bacterial stainless steel interior
- LED interior lights in all compartments

AVAILABLE ACCESSORIES

- KCCT Joining kit - central (Joining brackets, airflow separation included)

CLASSIC RANGE COLUMN CANTINA (WINE CELLAR)

KS5990FW - 72 BOTTLE, 600MM WIDE COLUMN WINE CELLAR

KS7490FW - 96 BOTTLE, 750MM WIDE COLUMN WINE CELLAR

KS8990FW - 120 BOTTLE, 750MM WIDE COLUMN WINE CELLAR

KS5990TWT - 58 BOTTLE, 600MM WIDE WINE CELLAR &

TRI-MODE DRAWER

FEATURES

- Noise level - 40db
- Glass door with Stainless Steel external trim
- Door open alarm
- Fhiaba Access - manages and monitors the entire fridge operation process. Fridge, fresh food compartment and drawer temperatures are shown on the digital display, together with date and time displayed. The interactive menu allows you to easily select the many available functions and to customise the functions of the fridge according to your needs.
- Humidity Control - The Fhiaba Access menu enables the preferred humidity level to be chosen, between high, medium and low, ensuring the correct preservation of corks, a fundamental element for the storage of fine wine.
- ProVent - This ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulating air. The system maintains temperature throughout allowing for optimum food preservation conditions.
- Anti Vibration - Vibration protection guaranteed by insulation of the compressors and soft-closing devices installed on all bottle storage shelves.
- Natural Wood Shelves - The Wine Cellar models come with natural beechwood shelves with secure bottle storage. They can hold different sized bottles, can be completely removed, and come with a soft-closing mechanism to reduce vibrations
- Riserva - Not just tasting temperature: the Fhiaba Riserva storage compartment can also be used to store red wines to be aged over a long period thanks to the accurate temperature and humidity control.
- Triple Layer Glass Door - The glass is darkened with tinted glass to protect bottles from the damaging effects of light. Fhiaba wine cellars have triple-layer bronze glass doors to ensure maximum protection from UV rays and from sudden changes in the external room temperature.
- Equilance - A dual-movement hinge, combining technological innovation and design and protected by an international patent. The self-balancing movement ensures stability and resistance for unlimited opening over time, and enables the appliance to be completely built-in.

WINE CELLAR & RISERVA STORAGE

- Temperature settings: 5°C to 18°C

INTERIOR

- Anti-bacterial stainless steel interior
- LED interior lights in all compartments

AVAILABLE ACCESSORIES

- KCCT Joining kit - central (Joining brackets, airflow separation included)



CLASSIC RANGE COLUMN REFRIGERATOR

KS5990FR - 360L TOTAL CAPACITY, 600MM WIDE COLUMN REFRIGERATOR

KS7490FR - 480L TOTAL CAPACITY, 750MM WIDE COLUMN REFRIGERATOR

KS8990FR - 608L TOTAL CAPACITY, 900MM WIDE COLUMN REFRIGERATOR

FEATURES

- Noise level - 40db
- Door open alarm
- Fhiaba Access - manages and monitors the entire fridge operation process. Fridge, fresh food compartment and drawer temperatures are shown on the digital display, together with date and time displayed. The interactive menu allows you to easily select the many available functions and to customise the functions of the fridge according to your needs.
- Tri-Pro Refrigeration - Maximum freshness is guaranteed when each food product is preserved at the correct temperature. This is the philosophy behind our triple refrigeration system. Two state-of-the-art compressors and three evaporators ensure continuous operation, energy saving and silence.
- ProVent - This ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulating air. The system maintains temperature throughout allowing for optimum food preservation conditions.
- Total No Frost - 100% automatic system which eliminates the need to defrost the fridge, fresh food and freezer compartments. In addition it enables the temperature to be restored quickly after opening thanks to 'speed freezing'.
- Equilance - A dual-movement hinge, combining technological innovation and design and protected by an international patent. The self-balancing movement ensures stability and resistance for unlimited opening over time, and enables the appliance to be completely built-in.

FRIDGE

- 3 Rack-and-Pinion Scrolling Glass Shelves
- 3 Adjustable Door Shelves
- 2 low temperature micro shot-peened soft close stainless steel drawers

INTERIOR

- Anti-bacterial stainless steel interior
- LED interior lights in all compartments

AVAILABLE ACCESSORIES

- KCCT Joining kit - central (Joining brackets, airflow separation included)



CLASSIC RANGE COLUMN FREEZER

KS5990FZI - 331L TOTAL CAPACITY, 600MM WIDE COLUMN FREEZER WITH ICE MAKER

KS7490FZ - 478L TOTAL CAPACITY, 750MM WIDE COLUMN FREEZER

KS7490FZI - 478L TOTAL CAPACITY, 750MM WIDE COLUMN FREEZER WITH ICE MAKER

FEATURES

- Noise level - 41db
- Door open alarm
- Fhiaba Access - manages and monitors the entire fridge operation process. Fridge, fresh food compartment and drawer temperatures are shown on the digital display, together with date and time displayed. The interactive menu allows you to easily select the many available functions and to customise the functions of the fridge according to your needs.
- Tri-Pro Refrigeration - Maximum freshness is guaranteed when each food product is preserved at the correct temperature. This is the philosophy behind our triple refrigeration system. Two state-of-the-art compressors and three evaporators ensure continuous operation, energy saving and silence.
- ProVent - This ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulating air. The system maintains temperature throughout allowing for optimum food preservation conditions.
- Total No Frost - 100% automatic system which eliminates the need to defrost the fridge, fresh food and freezer compartments. In addition it enables the temperature to be restored quickly after opening thanks to 'speed freezing'.
- TriMode - Interchange between Fridge, fresh food or freezer: simply select the desired mode through Fhiaba Access menu to modify the operating mode of the bottom drawer. A unique and versatile function that makes our food preservation system extremely flexible to manage.
- Equilance - A dual-movement hinge, combining technological innovation and design and protected by an international patent. The self-balancing movement ensures stability and resistance for unlimited opening over time, and enables the appliance to be completely built-in.

FREEZER

- 2 Rack-and-Pinion Scrolling Glass Shelves
- 2 Adjustable Door Shelves
- 3 micro shot-peened soft close stainless steel drawers

INTERIOR

- Anti-bacterial stainless steel interior
- LED interior lights in all compartments

AVAILABLE ACCESSORIES

- KCCT Joining kit - central (Joining brackets, airflow separation included)

Technical data


AVAILABLE COLOUR




STAINLESS
STEEL

DIMENSIONS


WIDTH	mm	887	737	887	737
HEIGHT	mm	2050	2050	2050	2050
DEPTH	mm	635	635	635	635
DEPTH WITH DOOR OPEN	mm	1435	1285	1435	1285
MIN. NICHE HEIGHT	mm	2064	2064	2064	2064
NET WEIGHT	kg	265	250	265	230
DOOR OPENING ANGLE	°<	105	105	105	105




KS8990TSTI




KS7490TSTI




KS8990FR



KS7490FR



KS5990FR



KS5990FZI

587	587
2050	2050
635	635
1135	1135
2064	2064
210	210
105	105

EQUIPMENT

REFRIGERATING / RISERVA
SHELVES
DOOR SHELVES
FRESCO / WINE CELLAR
SHELVES
DRAWER
TRI-MODE COMPARTMENT
DRAWER
INTERNAL DRAWERS
OPTIONS
LEFT OR RIGHT HINGE (3/6)
ICE MAKER
ICE MAKER ('I' IN CODE)

3	3	3	3
3	3	4	4
-	-	-	-
2 low temp	2 low temp	3 low temp	3 low temp
1	1	-	-
1 + ice tray	1 + ice tray	-	-
✓	✓	✓	✓
✓	✓	-	-

3	2
3	2
-	-
3 low temp	3
-	1
-	1
✓	✓
-	✓



Technical data


AVAILABLE COLOUR




STAINLESS
STEEL

DIMENSIONS


WIDTH	mm	887	737	587
HEIGHT	mm	2050	2050	2050
DEPTH	mm	640	640	635
DEPTH WITH DOOR OPEN	mm	1440	1290	1135
MIN. NICHE HEIGHT	mm	2064	2064	2064
NET WEIGHT	kg	230	215	210
DOOR OPENING ANGLE	°<	105	105	105



KS8990FW



KS7490FW



KS5990FW


EQUIPMENT

REFRIGERATING / RISERVA
SHELVES
DOOR SHELVES
FRESCO / WINE CELLAR
SHELVES
DRAWER
TRI-MODE COMPARTMENT
DRAWER
INTERNAL DRAWERS
OPTIONS
LEFT OR RIGHT HINGE (3/6)
ICE MAKER
ICE MAKER ('I' IN CODE)


6	6	6
-	-	-
5+1 display shelf	5+1 display shelf	5+1 display shelf
-	-	-
-	-	-
-	-	-
✓	✓	✓
-	-	-



KS5990TWT



KS7490FZ



KS7490FZI

587	737	737
2050	2050	2050
635	640	640
1135	1290	1290
2064	2064	2064
195	190	190
105	105	105

9	2	2
-	2	2
-	-	-
-	3	3
✓	1	1
1	1	1
✓	✓	✓
-	-	✓





INTEGRATED



INTEGRATED RANGE FRIDGE / FREEZER WITH ICE MAKER

S7490TST - 412L TOTAL CAPACITY, 750MM WIDE UPSIDE DOWN FRIDGE/FREEZER

S8990TSTI - 525L TOTAL CAPACITY, 900MM WIDE UPSIDE DOWN FRIDGE/FREEZER

FEATURES

- Noise level - 41db
- Door open alarm
- Fhiaba Access - manages and monitors the entire fridge operation process. Fridge, fresh food compartment and drawer temperatures are shown on the digital display, together with date and time displayed. The interactive menu allows you to easily select the many available functions and to customise the functions of the fridge according to your needs.
- Tri-Pro Refrigeration - Maximum freshness is guaranteed when each food product is preserved at the correct temperature. This is the philosophy behind our triple refrigeration system. Two state-of-the-art compressors and three evaporators ensure continuous operation, energy saving and silence.
- ProVent - This ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulating air. The system maintains temperature throughout allowing for optimum food preservation conditions.
- Total No Frost - 100% automatic system which eliminates the need to defrost the fridge, fresh food and freezer compartments. In addition it enables the temperature to be restored quickly after opening thanks to 'speed freezing'.
- TriMode - Interchange between Fridge, fresh food or freezer: simply select the desired mode through Fhiaba Access menu to modify the operating mode of the bottom drawer. A unique and versatile function that makes our food preservation system extremely flexible to manage.
- EvenLift - Our patented shelf system can be adjusted to any height in the fridge compartment without removal providing absolute versatility.
- Equilance - A dual-movement hinge, combining technological innovation and design and protected by an international patent. The self-balancing movement ensures stability and resistance for unlimited opening over time, and enables the appliance to be completely built-in.
- FRIDGE
- 3 Rack-and-Pinion Scrolling Glass Shelves
- 3 Adjustable Door Shelves
- 2 fresh food compartments
- 2 low temperature micro shot-peened soft close stainless steel drawers

TRI MODE

- 1 stainless steel drawer
- 1 internal drawer
- 1 ice tray with internal ice maker

CAPACITY & INTERIOR

- Fridge compartment capacity (L): S7490TST - 293L & S8990TST - 417L
- TriMode Bottom drawer capacity (L): S7490TST - 109L & S8990TST - 108L
- Anti-bacterial stainless steel interior
- LED interior lights in all compartments

AVAILABLE ACCESSORIES

- KCCIT Joining kit - central (Joining brackets, airflow separation included)

INTEGRATED RANGE COLUMN CANTINA (WINE CELLAR)

S5990FW - 72 BOTTLE, 600MM WIDE COLUMN WINE CELLAR

S7490FW - 96 BOTTLE, 750MM WIDE COLUMN WINE CELLAR

S8990FW - 120 BOTTLE, 750MM WIDE COLUMN WINE CELLAR

S5990TWT - 58 BOTTLE, 600MM WIDE WINE CELLAR &

TRI-MODE DRAWER

FEATURES

- Noise level - 40db
- Glass door with Stainless Steel external trim
- Door open alarm
- Fhiaba Access - manages and monitors the entire fridge operation process. Fridge, fresh food compartment and drawer temperatures are shown on the digital display, together with date and time displayed. The interactive menu allows you to easily select the many available functions and to customise the functions of the fridge according to your needs.
- Humidity Control - The Fhiaba Access menu enables the preferred humidity level to be chosen, between high, medium and low, ensuring the correct preservation of corks, a fundamental element for the storage of fine wine.
- ProVent - This ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulating air. The system maintains temperature throughout allowing for optimum food preservation conditions.
- Anti Vibration - Vibration protection guaranteed by insulation of the compressors and soft-closing devices installed on all bottle storage shelves.
- Natural Wood Shelves - The Wine Cellar models come with natural beechwood shelves with secure bottle storage. They can hold different sized bottles, can be completely removed, and come with a soft-closing mechanism to reduce vibrations
- Riserva - Not just tasting temperature: the Fhiaba Riserva storage compartment can also be used to store red wines to be aged over a long period thanks to the accurate temperature and humidity control.
- Triple Layer Glass Door - The glass is darkened with tinted glass to protect bottles from the damaging effects of light. Fhiaba wine cellars have triple-layer bronze glass doors to ensure maximum protection from UV rays and from sudden changes in the external room temperature.
- Equilance - A dual-movement hinge, combining technological innovation and design and protected by an international patent. The self-balancing movement ensures stability and resistance for unlimited opening over time, and enables the appliance to be completely built-in.

WINE CELLAR & RISERVA STORAGE

- Temperature settings: 5°C to 18°C

INTERIOR

- Anti-bacterial stainless steel interior
- LED interior lights in all compartments

AVAILABLE ACCESSORIES

- KCCT Joining kit - central (Joining brackets, airflow separation included)



INTEGRATED RANGE COLUMN REFRIGERATOR

S5990FR - 360L TOTAL CAPACITY, 600MM WIDE COLUMN REFRIGERATOR

S7490FR - 480L TOTAL CAPACITY, 750MM WIDE COLUMN REFRIGERATOR

S8990FR - 608L TOTAL CAPACITY, 900MM WIDE COLUMN REFRIGERATOR

FEATURES

- Noise level - 40db
- Door open alarm
- Fhiaba Access - manages and monitors the entire fridge operation process. Fridge, fresh food compartment and drawer temperatures are shown on the digital display, together with date and time displayed. The interactive menu allows you to easily select the many available functions and to customise the functions of the fridge according to your needs.
- Tri-Pro Refrigeration - Maximum freshness is guaranteed when each food product is preserved at the correct temperature. This is the philosophy behind our triple refrigeration system. Two state-of-the-art compressors and three evaporators ensure continuous operation, energy saving and silence.
- ProVent - This ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulating air. The system maintains temperature throughout allowing for optimum food preservation conditions.
- Total No Frost - 100% automatic system which eliminates the need to defrost the fridge, fresh food and freezer compartments. In addition it enables the temperature to be restored quickly after opening thanks to 'speed freezing'.
- Equilance - A dual-movement hinge, combining technological innovation and design and protected by an international patent. The self-balancing movement ensures stability and resistance for unlimited opening over time, and enables the appliance to be completely built-in.

FRIDGE

- 3 Rack-and-Pinion Scrolling Glass Shelves
- 3 Adjustable Door Shelves
- 2 low temperature micro shot-peened soft close stainless steel drawers

INTERIOR

- Anti-bacterial stainless steel interior
- LED interior lights in all compartments

AVAILABLE ACCESSORIES

- KCCIT Joining kit - central (Joining brackets, airflow separation included)



INTEGRATED RANGE COLUMN FREEZER

S5990FZ - 331L TOTAL CAPACITY, 600MM WIDE COLUMN FREEZER WITH ICE MAKER

S4790FZI - 478L TOTAL CAPACITY, 750MM WIDE COLUMN FREEZER WITH ICE MAKER

FEATURES

- Noise level - 41db
- Door open alarm
- Fhiaba Access - manages and monitors the entire fridge operation process. Fridge, fresh food compartment and drawer temperatures are shown on the digital display, together with date and time displayed. The interactive menu allows you to easily select the many available functions and to customise the functions of the fridge according to your needs.
- Tri-Pro Refrigeration - Maximum freshness is guaranteed when each food product is preserved at the correct temperature. This is the philosophy behind our triple refrigeration system. Two state-of-the-art compressors and three evaporators ensure continuous operation, energy saving and silence.
- ProVent - This ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulating air. The system maintains temperature throughout allowing for optimum food preservation conditions.
- Total No Frost - 100% automatic system which eliminates the need to defrost the fridge, fresh food and freezer compartments. In addition it enables the temperature to be restored quickly after opening thanks to 'speed freezing'.
- TriMode - Interchange between Fridge, fresh food or freezer: simply select the desired mode through Fhiaba Access menu to modify the operating mode of the bottom drawer. A unique and versatile function that makes our food preservation system extremely flexible to manage.
- Equilance - A dual-movement hinge, combining technological innovation and design and protected by an international patent. The self-balancing movement ensures stability and resistance for unlimited opening over time, and enables the appliance to be completely built-in.

FREEZER

- 2 Rack-and-Pinion Scrolling Glass Shelves
- 2 Adjustable Door Shelves
- 3 micro shot-peened soft close stainless steel drawers

INTERIOR

- Anti-bacterial stainless steel interior
- LED interior lights in all compartments


AVAILABLE ACCESSORIES

- KCCIT Joining kit - central (Joining brackets, airflow separation included)


Technical data

AVAILABLE COLOUR - N/A


CHOOSE YOUR BESPOKE DOOR
COLOUR & STYLE TO MATCH YOUR
KITCHEN DESIGN



S8990TSTI




S7490TST




S8990FR

DIMENSIONS

WIDTH	mm	887	737	887
HEIGHT	mm	2050	2050	2050
DEPTH	mm	610	610	610
DEPTH WITH DOOR OPEN	mm	1435	1285	1435
MIN. NICHE HEIGHT	mm	2064	2064	2064
NET WEIGHT	kg	210	190	210
DOOR OPENING ANGLE	°<	105	105	105



S7490FR



S5990FR

737	587
2050	2050
610	610
1285	1135
2064	2064
190	180
105	105

EQUIPMENT

REFRIGERATING / RISERVA
SHELVES
DOOR SHELVES
FRESCO / WINE CELLAR
SHELVES
DRAWER
TRI-MODE COMPARTMENT
DRAWER
INTERNAL DRAWERS
OPTIONS
LEFT OR RIGHT HINGE (3/6)
ICE MAKER
ICE MAKER ('I' IN CODE)

3	3	3
3	3	4
-	-	-
2 low temp	2 low temp	3 low temp
1	1	-
1 + ice tray	1 + ice tray	-
✓	✓	✓
✓	✓	-


3	3
3	3
-	-
3 low temp	3 low temp
-	-
-	-
✓	✓
-	-



Technical data

AVAILABLE COLOUR - N/A

CHOOSE YOUR BESPOKE DOOR
COLOUR & STYLE TO MATCH YOUR
KITCHEN DESIGN



S8990FW

S7490FW


S5990FW

DIMENSIONS

WIDTH	mm	887	737	587
HEIGHT	mm	2050	2050	2050
DEPTH	mm	615	615	615
DEPTH WITH DOOR OPEN	mm	1440	1290	1135
MIN. NICHE HEIGHT	mm	2064	2064	2064
NET WEIGHT	kg	230	215	175
DOOR OPENING ANGLE	°<	105	105	105

EQUIPMENT

REFRIGERATING / RISERVA			
SHELVES	6	6	6
DOOR SHELVES	-	-	-
FRESCO / WINE CELLAR			
SHELVES	5+1 display shelf	5+1 display shelf	5+1 display shelf
DRAWER	-	-	-
TRI-MODE COMPARTMENT			
DRAWER	-	-	-
INTERNAL DRAWERS	-	-	-
OPTIONS			
LEFT OR RIGHT HINGE (3/6)	✓	✓	✓
ICE MAKER			
ICE MAKER ('I' IN CODE)	-	-	-



S5990TWT

S7490FZI

S5990FZI

587	737	587
2050	2050	2050
635	640	640
1135	1290	1290
2064	2064	2064
195	190	180
105	105	105

9	2	2
-	2	2

-	-	-
-	3	3

✓	1	1
1	1	1

✓	✓	✓
---	---	---

-	✓	✓
---	---	---



X-PRO



X-PRO RANGE FRIDGE / FREEZER WITH ICE MAKER

XS5990TST - 303L TOTAL CAPACITY, 600MM WIDE UPSIDE DOWN FRIDGE/FREEZER

XS7490TSTI - 412L TOTAL CAPACITY, 750MM WIDE UPSIDE DOWN FRIDGE/FREEZER

XS8990TSTI - 525L TOTAL CAPACITY, 900MM WIDE UPSIDE DOWN FRIDGE/FREEZER

FEATURES

- Noise level - 41db
- Door open alarm
- Fhiaba Access - manages and monitors the entire fridge operation process. Fridge, fresh food compartment and drawer temperatures are shown on the digital display, together with date and time displayed. The interactive menu allows you to easily select the many available functions and to customise the functions of the fridge according to your needs.
- Tri-Pro Refrigeration - Maximum freshness is guaranteed when each food product is preserved at the correct temperature. This is the philosophy behind our triple refrigeration system. Two state-of-the-art compressors and three evaporators ensure continuous operation, energy saving and silence.
- ProVent - This ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulating air. The system maintains temperature throughout allowing for optimum food preservation conditions.
- Total No Frost - 100% automatic system which eliminates the need to defrost the fridge, fresh food and freezer compartments. In addition it enables the temperature to be restored quickly after opening thanks to 'speed freezing'.
- TriMode - Interchange between Fridge, fresh food or freezer: simply select the desired mode through Fhiaba Access menu to modify the operating mode of the bottom drawer. A unique and versatile function that makes our food preservation system extremely flexible to manage.
- EvenLift - Our patented shelf system can be adjusted to any height in the fridge compartment without removal providing absolute versatility.
- Equilance - A dual-movement hinge, combining technological innovation and design and protected by an international patent. The self-balancing movement ensures stability and resistance for unlimited opening over time, and enables the appliance to be completely built-in.

FRIDGE

- 3 Rack-and-Pinion Scrolling Glass Shelves
- 3 Adjustable Door Shelves
- 2 fresh food compartments
- 2 low temperature micro shot-peened soft close stainless steel drawers

TRI MODE


- 1 stainless steel drawer
- 1 internal drawer
- 1 ice tray with internal ice maker

CAPACITY & INTERIOR

- Fridge compartment capacity (L): XS5990TST - 123L, XS7490TST - 293L & XS8990TST - 417L
- TriMode Bottom drawer capacity (L): XS5990TST - 123L, XS7490TST - 109L & XS8990TST - 108L
- Anti-bacterial stainless steel interior
- LED interior lights in all compartments

AVAILABLE ACCESSORIES

- KCCIT Joining kit - central (Joining brackets, airflow separation included)



X-PRO RANGE CANTINA (WINE CELLAR) & TRI-MODE DRAWER

S8990TWT - 58 BOTTLE, 900MM WIDE WINE CELLAR & TRI-MODE DRAWER

S7490TWT - 58 BOTTLE, 750MM WIDE WINE CELLAR & TRI-MODE DRAWER

S5990TWT - 58 BOTTLE, 600MM WIDE WINE CELLAR & TRI-MODE DRAWER

FEATURES

- Noise level - 40db
- Glass door with Stainless Steel external trim
- Door open alarm
- Fhiaba Access - manages and monitors the entire fridge operation process. Fridge, fresh food compartment and drawer temperatures are shown on the digital display, together with date and time displayed. The interactive menu allows you to easily select the many available functions and to customise the functions of the fridge according to your needs.
- Humidity Control - The Fhiaba Access menu enables the preferred humidity level to be chosen, between high, medium and low, ensuring the correct preservation of corks, a fundamental element for the storage of fine wine.
- ProVent - This ventilation system encourages uniform distribution of cold air in all fridge compartments by laterally circulating air. The system maintains temperature throughout allowing for optimum food preservation conditions.
- Anti Vibration - Vibration protection guaranteed by insulation of the compressors and soft-closing devices installed on all bottle storage shelves.
- Natural Wood Shelves - The Wine Cellar models come with natural beechwood shelves with secure bottle storage. They can hold different sized bottles, can be completely removed, and come with a soft-closing mechanism to reduce vibrations
- Riserva - Not just tasting temperature: the Fhiaba Riserva storage compartment can also be used to store red wines to be aged over a long period thanks to the accurate temperature and humidity control.
- Triple Layer Glass Door - The glass is darkened with tinted glass to protect bottles from the damaging effects of light. Fhiaba wine cellars have triple-layer bronze glass doors to ensure maximum protection from UV rays and from sudden changes in the external room temperature.
- Equilance - A dual-movement hinge, combining technological innovation and design and protected by an international patent. The self-balancing movement ensures stability and resistance for unlimited opening over time, and enables the appliance to be completely built-in.

WINE CELLAR & RISERVA STORAGE

- Temperature settings: 5°C to 18°C

INTERIOR

- Anti-bacterial stainless steel interior
- LED interior lights in all compartments

TRI MODE

- 1 stainless steel drawer
- 1 internal drawer
- 1 ice tray with internal ice maker

AVAILABLE ACCESSORIES

- KCCT Joining kit - central (Joining brackets, airflow separation included)

Technical data

AVAILABLE COLOUR



STAINLESS
STEEL

DIMENSIONS

WIDTH	mm	887	737	587
HEIGHT	mm	2120	2120	2120
DEPTH	mm	635	635	635
DEPTH WITH DOOR OPEN	mm	1435	1285	1170
MIN. NICHE HEIGHT	mm	2134	2134	2134
NET WEIGHT	kg	265	250	195
DOOR OPENING ANGLE	°<	105	105	105

XS8990TST


XS7490TST

XS5990TST

EQUIPMENT

REFRIGERATING / RISERVA
SHELVES
DOOR SHELVES
FRESCO / WINE CELLAR
SHELVES
DRAWER
TRI-MODE COMPARTMENT
DRAWER
INTERNAL DRAWERS
OPTIONS
LEFT OR RIGHT HINGE (3/6)
ICE MAKER
ICE MAKER ('I' IN CODE)

3	3	3
3	3	3
-	-	-
2 low temp	2 low temp	2 low temp
1	1	1
1 + ice tray	1 + ice tray	1 + ice tray
✓	✓	✓
✓	✓	



XS8991TWT

XS7490TWT

XS5990TWT

887	737	587
2120	2120	2120
635	640	635
1470	1285	1170
2134	2134	2134
280	245	195
105	105	105

6	9	9
-	-	-
3	-	-
-	-	-
✓	✓	✓
1	1	1
✓	✓	✓
-	--	-



ACCESSORIES

Wine Cellar kits

Bottle holder

	Code	Model Ref.	Description	Price
	BH60	599	Support made of solid oak wood for 6 bottles 750ml or 3 magnum bottles 1,5 liters	\$POA
	BH75	749	Support made of solid oak wood for 8 bottles 750ml or 4 magnum bottles 1,5 liters	\$POA
	BH90	899	Support made of solid oak wood for 10 bottles 750ml or 6 magnum bottles 1,5 liters	\$POA

For the installation it is necessary to remove a wooden wine shelf.

Wine kit

	Code	Model Ref.	Description	Price
	BK60	599	Support made of solid oak wood for 6 bottles 750ml or 3 magnum bottles 1,5 liters with cork-screw and 2 prestige stopper caps	\$POA
	BK75	749	Support made of solid oak wood for 8 bottles 750ml or 4 magnum bottles 1,5 liters with cork-screw and 2 prestige stopper caps	\$POA
	BK90	899	Support made of solid oak wood for 10 bottles 750ml or 6 magnum bottles 1,5 liters with cork-screw and 3 prestige stopper caps	\$POA

For the installation it is necessary to remove a wooden wine shelf.

Cheese set

	Code	Model Ref.	Description	Price
	CT60	599	Wooden tray made of Russian oak-plated birch wood, 2 perforated stainless steel plates, 2 covers with wooden knob, 3 mini cheese knives with olive wood handles, wooden base for the knives storage	\$POA
	CT75	749	Wooden tray made of Russian oak-plated birch wood, 2 perforated stainless steel plates, 2 covers with wooden knob, 3 mini cheese knives with olive wood handles, wooden base for the knives storage	\$POA
	CT90	899	Wooden tray made of Russian oak-plated birch wood, 3 perforated stainless steel plates, 3 covers with wooden knob, 3 mini cheese knives with olive wood handles, wooden base for the knives storage	\$POA

For the installation it is necessary to remove a wooden wine shelf.

Set of knives

	Code	Model Ref.	Description	Price
	CP60	599	Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage	\$POA
	CP75	749	Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage	\$POA
	CP90	899	Wooden tray made of Russian oak-plated birch wood, kitchen knife 20cm, bread knife 22cm, ham knife 26cm all with olive wood handle, wooden base for the knives storage	\$POA


Prosciutteria kit

	Code	Model Ref.	Description	Price
	KP5	599 0TW	Prosciutteria kit	\$POA
	KP7	749 0TW 749 0HW	Prosciutteria kit	\$POA
	KP9	899 0HW	Prosciutteria kit	\$POA




ACCESSORIES

Anti condensation Kit

 KAC16	Code	Model Ref.	Description	Price
	KAC16	X-Pro StandPlus Country	Anticondensation Kit adhesive 1,6 cm thick for side-by-side installation of two or more top compressors units (not required for models with compressors at the bottom)	\$POA

Double EvenLift Shelves

	Code	Model Ref.	Description	Price
	EL33	8990H 7490H 7490T 8990T	3+3 double EvenLift shelves in aluminium and glass	\$POA

Water Dispenser

	Code	Model Ref.	Description	Price
		8990FR 7490FR 5990FR	Water Dispenser	\$POA

Alternative Energy Kit

	Code	Model Ref.	Description	Price
	KITNRG899749	899 749	Transformer for network integration with alternative energy (photovoltaic and geothermal energy, home automation, etc.)	\$POA
	KITNRG599	599	Transformer for network integration with alternative energy (photovoltaic and geothermal energy, home automation, etc.)	\$POA

Cleaning and hygiene

	Code	Model Ref.	Description	Price
	RP00KP	899 749 599	Cleaning kit microfiber cloth and magic sponge	\$POA
	RP00FA	899 749 599	Water Filter Cartridge	\$POA
	ACF	899 749 599	Activated carbon filter	\$POA

Painting

RAL Colour on request

	Model Ref.	Description	Price
	X-Pro X	Painting - front	\$POA
		Painting - sides	\$POA
	Classic	Painting - front	\$POA
		Painting - sides	\$POA
		Vertical handle	\$POA
		Horizontal handle	\$POA

Colour chart

	Code	Description	Price
	CARTCOL	Fhiaba colour chart	\$POA



FOLLOW US ON:



https://www.instagram.com/fhiaba_refrigerationau/

fhiaba.com.au

P: 1300 694 583

Eurolinx Showrooms are open Tuesday - Friday 9am - 5pm, Saturday - 10am - 4pm, Sunday and Monday - closed

NSW & ACT (Head Office)

48-50 Moore Street
Leichhardt

VIC & SA

1211 Toorak Road
Camberwell

QLD

1/42 Cavendish Road
Coorparoo

WA & NT

Unit 10/55 Howe Street
Osborne Park

DISCLAIMER

Eurolinx PTY LTD, is continually seeking ways to improve the design specifications, aesthetics and production techniques of its products. As a result alterations to our products and designs take place continually. Whilst every effort is made to produce information and literature that is up to date, this brochure should not be regarded as an infallible guide to the current specifications, nor does it constitute an offer for the sale of any particular product. Product dimensions indicated in our literature is indicative only. Actual product only should be used to define dimension cutouts. Distributors, and retailers are not agents of Fhiaba and are not authorized to bind Fhiaba by any express or implied undertaking or representation.